6 8/22.

R41373

THE

# MEDICAL & CHIRURGICAL

# Pharmacopoeia,

By RICHARD REECE,

*CHEPSTOW.*

THE

# MEDICAL & CHIRURGICAL

# Pharmacopœia,

FOR

## *THE USE OF*

## HOSPITALS, DISPENSARIES, &c.


BY RICHARD REECE,

CHEPSTOW;

Member of the Royal College of Surgeons, in London, and the Medical Society of St. Bartholomew's Hospital, and late Domeſtic Surgeon and Apothecary to the General Infirmary, at Hereford.

PRINTED AND SOLD BY W. BULGIN,

*No.* 3, *WINE-STREET:*

SOLD ALSO BY WEST AND HUGHES, PATERNOSTER-ROW, LONDON; BELL AND BRADFUTE, EDINBURGH; S. HAZARD, BATH; AND ALL OTHER BOOKSELLERS.

---

1800.

Digitized by the Internet Archive
in 2016

https://archive.org/details/b21934733

TO

MARK WOOD, Esq. M. P.

*PIERCEFIELD, MONMOUTHSHIRE,*

COLONEL AND LATE CHIEF ENGINEER,

Bengal,

THIS WORK IS

VERY RESPECTFULLY DEDICATED,

BY HIS

Much obliged and

Moſt obedient humble Servant,

*THE AUTHOR.*

*CHEPSTOW, Nov.* 1800.

# Preface.

NO country or climate has ever ſeen affluence ſcatter its comforts upon the diſtreſſed and indigent with an exertion ſo liberal, honorable, and truly its own, as Great Britain, during the ſpace of the laſt five years. Whole pariſhes, in town and country, however narrow the ſphere of their charities has been, from the general preſſure of the times, have come forward with their chearful ſacrifices to vie in the pre-eminence of doing good. It was a wiſe and beneficent ſpirit that directed ſuch amiable inſtincts to the patronage of inſtitutions which might, at all ſeaſons, afford to diſeaſe a conſolatory refuge in time of need; and we may with ſome triumph exult in the conviction, that the medical profeſſion of our own country know their nature better than to uphold ſuch eſtabliſhments from any principle of mercenary gratification. In moſt other States, I believe this eulogium cannot ſo truly and judiciouſly apply to that rank of its Members. The opinion, however, is by no means ſingular, that an opening may ſtill be left in the improvement of their economy. In the

the humble hope, therefore, of giving rife to a plan which may retrench in Infirmaries, the fcale of general expenditure, without, at the fame time, witholding any fuccour for the relief of individual malady, the following little treatife has been drawn up to meet the public eye. It is requefted that the medical profeffion will not confider the intention of the author as originating from any defire of *prescribing* to their judgment or cenfuring the prevailing fyftem, but only as a hint, if the alteration fhould be deemed expedient or neceffary, on which gentlemen of more enlarged practice and fuperior talent may improve. It has been at times thought convenient to depart from fome of the ufual names for the fake of a more diftinctive perfpicuity. In order to fwell as little as poffible the contents and price of the book, brevity has been uniformly adhered to wherever it could be done with effect, and the few ftray notes which run through the volume, are only fuch as appear to the author indifpenfible.

THE

# *MEDICAL & CHIRURGICAL*

# Pharmacopœia.

## A

## AQUÆ SIMPLICES, *vide* ESSENTIÆ.

## B

## *B O L I.*

### BOLUS ANTIMONIALIS.

R. Pulv. antimonialis P. L. gr. viij.
Conf. Cynoſbati, q. f.

### BOL. ANTIMON. ANODYN.

R. Pulv. antimon. P. L. gr. viij.
Ext. Papaveris albi gr. vj. miſce.

The antimonial Powder, of the London Pharmacopœia, is ſimilar in Preparation to the celebrated expenſive Fever Powder of Dr. James, and equally ſafe and effectual.

BOL. ANTIM. TART.

R. Antimon. tart. gr. ¼
Ext. Papav. alb. gr. vj. m.

This is the moſt certain Sudorific of the antimonial Preparations.

BOL. ANODYN.

R. Ext. Papav. alb. gr. x.

BOL. DIGITALIS.

R. Pulv. fol. Digitalis. gr. ij.
Elect. opiat. drach. ſs. m.
Vide Tinct. Digitalis.

BOL. OPIATUS.

R. Elect. opiat. drach. ſs.

BOL. SCILLÆ.

R. Pulv. Scillæ. gr. iv.
Elect. opiat. drach. ſs. m.

*CATA-*

# C

## *CATAPLASMATA.*

### CATAPLASM. ACETATUM.

R. Furfur. opt. (Pollard) lib. iv.
Pulv. Lini lib. ſs.
Aceti Vini alb. lib. iſs. m.

### CATAPL. ALUMINIS.

R. Albugin. Oviorum gallinac.
Aluminis q. s.

### CATAPL. ANODYN.

R. Furfur. opt. lib. iv.
Pulv. Lini lib. j.
Decoct. Papav. alb. fort. lib. iſs.

### CATAPL. CICUTÆ.

R. Furfur. opt. lib. iij.
Pulv. Lini lib. ſs.
Suc. Cicutæ recent. vel
Tinct. Cicutæ q. s.

## CATAPL. CARBONIC.

R. Pulv. Carbon. lib. ſs.
Furfur. opt. lib. iij.
Pulv. Lini unc. xij.
Ol. Lini unc. iv.
Aq. bullient. lib. iſs. m.

## CATAPL. EFFERVESC.

R. Inf. Braſii lib. j.
Furfur. opt. lib. iv.
Spumæ Cerev. unc. iv. m. s. a.

## CATAPL. FURFURIS.

R. Furfur. opt. lib. viij.
Sem. Lini Pulv. lib. ij.
Ol. Sem. Napi s. unc. iij.
Aq. bullient. lib. iij. m. s. a.

This is recommended as a cheap Subſtitute for Bread or Oatmeal Poultice.

## CATAPL. SINAPEOS.

R. Sem. Sinap. triti
Furfur. opt. $\overline{aa}$ lib. ij.
Pulv. Sem. Lini unc. vj.
Acet. Vini. alb. quant. ſatis ſit.

CATAPL.

CATAPL. TEREBINTH.

R. Terebinth. vulg. unc. iij.
Cepæ contuſ. unc. vj.
Furfur. optim. lib. iv.
Pulv. Sem. Lini unc. xij.
Aq. fontan. q. s.

CERATA, *vide* UNGUENTA.

CONFECTIONES, *vide* ELECTUARIA.

## *COLLYRIA.*

COLLYRIUM ALUMINIS.

R. Aluminis drach. j.
Inf. Flor. Balauſt. lib. jſs. m.

COLLYR. AMMON. ACET.

R. Solut. Ammon. acet.
Aquæ puræ, āā unc. iv. m.

COLLYR.

## COLLYR. CALOMEL. OPIAT.

R. Calomel. Præp. ſcrup. j.
Mucil. G. Arabic. unc. j.
Opii purific. ſcrup. j.
Aquæ Calcis, unc. iij.
—— puræ unc. iv. m.

## COLLYR. CERUSSÆ ACETATÆ.

R. Ceruſſæ acet. ſcrup. j.
Aceti Vini albi, unc. ſs.
Aquæ puræ unc. vij. m.

## COLLYR. CERUSSÆ OPIAT.

R. Ceruſſæ acet. ſcrup. j.
Acet. Vini albi unc. ſs.
Opii purific. ſcrup. j.
Aquæ puræ unc. vij. m.

## COLLYR. CERUSSÆ ACET. CAMPHOR.

R. Ceruſſæ acet. ſcrup. j.
Miſt. Camphoræ lib. ſs. m.

## COLLYR. CUPRI VITRIOL.

R. Cupri vitriol. gr. iij.
Acid. muriat. drach. ſs.
Aquæ puræ unc. vij. m.

COLLYR.

COLLYR. HYDRARG. MURIAT.

R. Hydrarg. muriat. gr. ij.
Acid. muriat. gut. x.
Aquæ puræ unc. viij.
Tinct. Opii drach. ij. m.

COLLYR. ZINCI VITRIOL.

R. Zinci vitriol. ſcrup. j.
Acid. ſulphur. dilut. gut. x.
Aquæ puræ lib. ſs. m.

CREMOR. LITHARG. ACET.

R. Cremor. Lactis lib. j.
Aq. Litharg. acet. unc. ij. m.

---

CONSERVÆ.

In the making of Conſerves, the common white Sugar may be uſed in lieu of double refined.

---

## D

## *DECOCTA.*

---

DECOCT. ALTHÆÆ.

R. Rad. Althææ ſic. incis. unc. iij.
Coque Aquæ puræ lib. iv. ad lib. iij.

DECOCT.

## DECOCT. HELLEB. ALB.

R. Rad. Helleb. alb. cont. unc. ij.
Coque Aquæ puræ lib. iij. ad lib. ij.
Dein adde Ammon. muriat. drach. iij.

This Decoction has been very ſucceſsfully employed as a Lotion for the Cure of Tinea Capitis, Lepra, and Itch. It is exempt from the great Objections to the ſulphuric and mercurial Preparations, and equally effectual.

## DECOCT. HORDEI.

R. HORD. contuſ. lib. ſs.
Coque Aquæ puræ lb. viij. ad lib. vj.

## DECOCT. QUERCUS.

R. Cort. Querc. cont. unc. iſs.
Coque Aquæ puræ lib. iiſs. ad lib. ij.

## DECOCT. QUERC. COMP.

R. Cort. Querc. cont. unc. j.
—— Salic. fragil. cont. unc. ij.
Coque Aquæ puræ lib. iv. ad lib. iij.

The bitter of the Willow Bark, conjoined with the aſtringency of the Oak, forms a tonic Medicine,

cine, which experience warrants me in aſſerting to be equal in efficacy to the Cinchona. It has been retained on the ſtomach after the Peruvian bark has been rejected. In Intermittents it has uniformly anſwered as well, and in all caſes where the uſe of a tonic is indicated, it may with equal advantage be employed, a fact that may be turned to a very conſiderable decreaſe of expence in the medical department of Hoſpitals, &c.

## DECOCT. RUBIÆ TINCT.

R. Rad. Rubiæ Tinct. cont. lib. ſs.
Coque Aquæ puræ lib. iii. ad lib. ij.
Cap. unc. iv. ter. die.

In Amenorrhœa, particularly in ſcrophulous Habits, this Decoction has been productive of ſalutary Effects. *Dr. Oſborne found it ſerviceable in correcting the ſcrophulous Diatheſis.

## DECOCT. TUSSILAGINIS.

R. Fol. Tuſſilag. ſiccat. unc. iv.
Rad. Glycyrrhizæ unc. ſs.
Coque Aquæ puræ lib. ij. ad lib. iſs.

* Noticed in his Lectures on Midwifery.

## DECOCT. ULMI.

R. Cort. Ulmi inter. contus. lib. ſs.
Coque Aquæ puræ lib. viij. ad lib. v.

This affords a good Vehicle for the exhibition of antimonial Wine, or Solution of muriated Quickſilver, in cutaneous Affections. It is not perhaps inferior to the expenſive Root, Sarſaparilla.

## DECOCT. ULMI COMP.

R. Cort. Ulmi inter. cont. unc. iij.
—— Rad. Mezerei cont. unc. j.
Coque Aquæ fontan. lib. iv. ad lib. iij.
Cola et adde Cort. Rad. Saſſafr. cont. unc. j. infunde per Horas quatuor.

## DECOCT. UVÆ URSI.

R. Fol. Uvæ Urſi unc. iv.
Coque Aquæ fontan. lib. iij. ad lib. ijſs.

# E

## *ELECTUARIA.*

### ELECTUARIUM CRYST. TART.

R. Cryſtal. tartari pulv. unc. iij.
Pulv. Jalapii drach. ij.
—— Fol. Sennæ unc. ſs.
—— Pimento unc. ſs.
Theriac. com. q. s. ut f. Elect.

### ELECT. E CRETA AROMAT.

R. Cretæ præpar. lib. j.
Pulv. Gran. Parad. unc. ſs.
—— Caſſiæ lign. unc. ij.
—— Canellæ albæ unc. j.
—— Pimento unc. ij.
—— Rad. Zedoar. flav.
—— Curcum. āā unc. ſs.
Syr. Cort. aurant. q. s. ut f. Elect.

### ELECT. OPIATUM.

R. Pulv. Opii drach. iij.
—— Caſs. Lign.
—— Zinziber. alb.
—— Sem. Carui āā unc. j.
Syr. Cort. aurant. unc. x. m.

Thirty-ſix Grains of this Electuary contain one of Opium.

ELECT.

## ELECT. QUERCUS.

R. Pulv. Cort. Quercus unc. j.
—— Aluminis drach. j.
—— Caſs. Lign. drach. ij.
Syr. Cort. aurant. q. s.

## ELECT. QUERCUS COMP.

R. Pulv. Cort. Querc. comp. unc. ij.
Rubig. Ferri præp. unc. ſs.
Conſ. Cort. aurant. unc. iij.
Syr. ———— q. s.

## ELECT. QUERCUS BALSAM.

R. Pulv. Cort. Querc. comp. unc. ij.
—— Reſin. flav. unc. ſs.
Balſam. Copaivæ drach. ij.
Mucil. G. Arabic. unc. j.
Syr. Cort. aurant. q. s.

## ELECT. E STANNO GRANUL.

R. Stanni granulati unc. vj.
Conſ. Abſinth. unc. iij. m.

## ELECT. E STANNO PULV.

R. Pulv. Stanni unc. iij.
Conſ. Abſinth. unc. iv. m.

ELECT.

## ELECT. E STANNO PULV. COMP.

R. Pulv. Stanni unc. vj.
—— Sem. Santon. unc. ij.
—— Fol. Tanaceti unc. j.
Conf. Abſinth. lib. ſs.
Syr. Cort. aurant. q. s.

## ELECT. SULPHURIS.

R. Flor. Sulphuris unc. iij.
Pulv. Cryſt. tartari unc. j.
—— Salis Nitri drach. ij.
Theriac com. unc. vj. m.

## ELIXIR ALOES.

R. Gum. Myrrhæ,
Aloes hepat. aa lib. ſs.
Rad. Zedoar. flav. unc. ij.
Sp. vinoſ. tenuis lib. viij. m.

## ELIX. VITRIOL. ACID.

*Vide* Acid. Sulphur. dilut.

*EMPLAS-*

## *EMPLASTRA.*

### EMPL. CANTHARID.

R. Ceræ flav.
Reſin flavæ.
Adep. Ovil. præp. aā lib. iij.
Aceti Vini alb. fort. lib. j.
Cantharid. Pulv. lib. j. m.

### EMPL. ex EUPHORBIO.

R. Pulv. G. Euphorb. unc. iij.
Reſinæ flav. unc. iv.
Terebinth. vulg. unc. ij.
Empl. Litharg. lib. iiſs. m. s. a.

This Plaſter is a cheaper and better ſuppurative than the Empl. Litharg. cum Gum.

### EMPL. LITHARGYRI.

R. Litharg. pulv. lib. v.
Ol. Sem. Napi s. lib. viij.

### EMPL. HYOSCYAMI.

R. Ceræ flav. lib. j.
Ol. Sem. Napi s. lib. ſs.
Gum. Ammon. com. unc. j.
Pulv. fol. Hyoſcyami lib. j. m. s. a.

EMPL.

EMPL. E MINIO.

R. Minii lib. v.
Ol. Sem. Napi s. lib. viij.

EMPL. RESINÆ.

R. Empl. Lithargyri lib. iv.
Refinæ flav. lib. j. m.

EMPL. SAPONIS.

R. Saponis alb. lib. j.
Empl. Lithargyri lib. vj. m.

EMPL. THURIS.

R. Thuris lib. j.
Colcoth. vitriol. lib. fs.
Empl. Litharg. lib. iv. m.

## *EMULSIONES.*

EMULS. AMYGDALÆ.

R. Amygd. Valent. decort. unc. ij.
Sacchar. alb. unc. fs.
Aquæ puræ lib. iv. m. s. a.

EMULS.

EMULS. AMYGD. COMP.

R. Amygd. Valent. decort. unc. j.
Pulv. G. Arabic. unc. ſs.
Aquæ puræ lib. ij.

EMULS. CAMPHORÆ.

R. G. Camphoræ drach. j.
Amygd. Valent. decort. unc. ſs.
Sacch. alb. unc. ſs.
Aquæ fontan. lib. j. m.

## *ENEMATA.*

ENEMA AVENÆ.

R. Decoct. farinæ Avenæ bene colat. lib. j.

ENEM. AVENÆ COMP.

R. Enem. Avenæ unc. xij.
Salis marin. unc. iij.
Ol. Sem. Lini unc. j. m.

ENEMA FŒTIDUM.

R. Aſafœtidæ drach. ij. ſolve
Enem. Avenæ unc. xij.

ENEMA

### ENEMA NATR. VITRIOL.

R. Natr. vitriol. unc. ij. ſolve
Enem. Avenæ unc. xij.
Syr. e Spin. Cerv. unc. j.

### ENEMA OPIATUM.

R. Opii purif. gr. v. ſolve
Enem. Avenæ lib. ſs.

### ENEMA QUERCUS.

R. Decoct. Quercus unc. x.
Aluminis drach. ſs. m.

### ENEMA TEREBINTHINAT.

R. Ol. Terebinth. drach. j.
Ol. Sem. Napi s. unc. j.
Enem. Avenæ unc. x. m.

## *ESSENTIÆ.*

By the Intervention of rectified Spirit eſſential Oils are rendered miſcible with Water, and this extemporaneous Method of impregnating Water with an eſſential Oil, is cheaper and more con-

venient to the Apothecary than diſtilling the Herb; beſides, ſimple diſtilled Waters do not retain their Flavour in perfection many Months.

ESSENTIA ANISI.

R. Ol. Aniſi drach. iſs.
Sp. vinos. rectif. unc. ij. m.

ESSENT. CARUI.

R. Ol. Carui drach. ij.
Sp. vinos. rectif. unc. ij.

ESSENT. CASSIÆ LIGN.

R. Ol. Caſſiæ Lignæ drach. j.
Sp. vinos. rectif. unc. ij.

ESSENT. MENTHÆ PIPERIT.

R. Ol. Menthæ piper. drach. j.
Sp. vinos. rectif. unc. ij. m.

ESSENT. MENTHÆ SATIV.

R. Ol. Menthæ ſativ. drach. iſs.
Sp. vinos. rectif. unc. ij. m.

ESSENT. PULEGII.

R. Ol. Pulegii drach. iſs.
Sp. vinos. rectif. unc. ij. m.

*EXTRACTA.*

## *EXTRACTA.*

The Extracts ſhould be made by the Houſe Apothecary, or under his immediate Inſpection.

### EXT. QUERCUS.

R. Cort. Quercus contus. lib. vj.
Aquæ fontan. cong. iij.

### EXT. QUERCUS COMP.

R Cort. Quercus lib. ij.
Salic. fragil. lib. iv.
Aquæ fontan. cong. iij.

### EXT. SALICIS FRAGIL.

R. Cort. Salic. fragil. lib. vj.
Aquæ fontan. cong. iij.

To be made according to the Directions given in the Edinburgh new Diſpenſatory for the Ext. Cinchonæ.

## F

## *FOTUS.*

### FOTUS ABSINTHII.

R. Herb. Abſinth. lib. ij. infunde
Aquæ bullient. lib. xij.

### FOT. QUERCUS.

R. Cort. Quercus lib. ſs.
Coque Aquæ fontan. lib. xij. ad lib. x.
Cola et adde Alum. unc. ij.

## G

## *GARGARISMATA.*

### GARGARISMA ACID. MURIAT.

R. Acid. muriat. drach. iſs.
Aquæ puræ lib. ſs. m.

### GARG. ACIDI NITROS.

R. Acidi nitros. drach. j.
Aquæ puræ lib. ſs. m.

## GARG. BALAUST.

R. Flor. Balauſt. unc. ſs. infunde
Aquæ bullient. lib. j. cola et adde
Acid. ſulphuric. dilut. drach. j.

## GARG. HYDRARG. MURIAT.

R. Hydrarg. muriat. gr. v.
Acid. muriat. drach. ſs.
Mucil. Sem. Cydon. unc. ij.
Mellis Roſæ unc. j.
Aquæ puræ lib. ſs. m.

## GARG. NITRI.

R. Kali nitrat. drach. iſs.
Mucil. G. Arabic. unc. ij.
Aquæ puræ unc. vj.

## GARG. QUERCUS.

R. Decoct. Querc. lib. ſs.
Aluminis drach. j. m.

## GARG. SALVIÆ.

R. Inf. Herb. Salviæ lib. j.
Mellis unc. j.
Aceti vini albi unc. iv. m.

GARG.

GARG. SALVIÆ. COMP.

R. Gum. Myrrhæ drach. j. ſolve
Inf. Salviæ lib. j. dein adde
Oxym. Ærugin. unc. ſs.
Aceti vini albi unc. iv.
Mellis unc. ſs. m.

## H

## *HAUSTUS.*

HAUST. ACETO-ALKALIZ. EFFERVESC.

R. Kali præpar. gr. x.
Aquæ puræ unc. j. m.

R. Aceti vini albi. drach. iij.
Syrup. drach. j.
Eſſent. Caſſiæ lign. gut. iv.
Aquæ puræ unc. j. m.

Solutione Kali prius ſumpta, Miſt. ex aceto illico porrigenda eſt.

HAUST. ANTIMON. TART.

R. Antimon. tart. gr. ij.
Aquæ fontan. unc. ij. m. Hauſt. emet.

HAUST.

HAUST. ANTIMON. TART. COMP.

R. Antim. tart. gr. j.
Pulv. Ipecacuanhæ ſcrup. j.
Aquæ fontan. unc. ij. m. Hauſt. emet.

HAUST. ANTIM. TART. SCILLIT.

R. Antimon. tart. gr. ij.
Tinct. Scillæ acet. drach. ij.
Aquæ puræ unc. iſs. m. Hauſt. emetic.

HAUST. QUER. COMP. EFFERV.

R. Kali præp. gr. x.
Decoct. Querc. comp. unc. j. m.

R. Aceti vini albi drach. iij.
Decoct. Querc. c. unc. j.
Eſſent. Carui gut. v. m.

HAUST. CUPRI VITRIOL.

R. Cupri vitriolat. gr. iij.
Aquæ puræ unc. iſs. m. Hauſt. emet.

HAUST. ZINCI VITRIOL.

R. Zinci vitriol. gr. vj.
Aquæ fontan. unc. iſs. m. Hauſt. emet.

*INFUSA.*

## *INFUSA.*

### INFUSUM AGRIMONIÆ.

R. Herbæ Agrimon. ſic. unc. ſs.
Aquæ bullient. lib. j. infunde per Horam et infuſo elutriato adde
Syr. Papav. errat. unc. j.
Cap. Cochl. iij. larg. quater Die.

### INF. BALAUST.

R. Flor. Balauſt. unc. ſs.
Aquæ bullient. lib. j. infunde per Horas quatuor, cola et adde
Acid. Sulphur. dilut. drach. j.
Cap. Cochl. iij larg. ter Die.

### INF. DIGITALIS.

R. Fol. Digitalis ſic. drach. ij.
Aquæ bullient. unc. xij. infunde per Horas quatuor, effunde et adde
Eſſent. Carui gutt. xx.
Cap. Cochl. ij. larg. bis Die.

### INF. GENTIANÆ COMP.

R. Rad. Gentianæ incis. drach. ij.
Canellæ albæ contus. drach. iij.
Aquæ bullient. lib. j. infunde per Horas quatuor.

INF.

INF. QUERCUS COMP.

R. Cort. Quercus unc. ſs.
—— Salicis frag. unc. j.
Aquæ bullientis lib. j. infunde
per Horas ſex.

INF. RAPHANI COMP.

R. Rad. Raphani ruſt. incis.
Sem. Sinap. contus. āā unc. ij.
Aquæ bullient. lib. ij. ſtent ſimul in Loco
calido et Vaſe clauſo ad Horas xij.
cola et adde
Aquæ Ammoniæ drach. vj.

INF. SPIGELIÆ.

R. Rad. Spigeliæ unc. j.
Aquæ bullient. lib. j. infunde per Horas
quatuor, cola et adde
Solut. Ferri vitriol. vinos. unc. ij.
Cap. Cyath. vinos. j. omn. mane.

## I
## *INJECTIONES.*

INJECT. ALUMINIS.

R. Aluminis drach. j. ſolve
Aquæ fontan. lib. j.

INJECT. CALOMELAM.

R. Calomel. præpar. drach. j.
Mucil. Sem. Cydon. unc. ij.
Aquæ Calcis
—— puræ āā unc. iij. m.

INJECT. CANTHARID.

R. Cantharid. cont. drach. j.
Aquæ bullient. unc. xij. infunde per
Horas quatuor.

INJECT. CUPRI VITR. TEN.

R. Cupri vitriol. gr. iij.
Aquæ fontan. lib. ſs.

INJECT. CUPRI VITR. FORT.

R. Cupri Vitriol. drach. j.
Aquæ puræ lib. ſs.

INJECT. HYDRARG. MURIAT.

R. Hydrarg. muriat. gr. ij.
Opii purif. ſcrup. j.
Aquæ puræ lib. ſs.
Mucil. Sem. Cydon. unc. ij. m.

## INJECT. QUERCUS.

R. Decoct. Quercus lib. ſs.
Aluminis drach. j. m.

To be injected in the Vagina, or other Parts affected with preternatural Diſcharges from Laxity.

## INJECT. ZINCI. VITRIOL.

R. Zinci vitriol. ſcrup. j. ſolve
Aquæ fontan. lib. ſs.

## INJECT. ZINCI VITR. OPIAT.

R. Zinci vitr. ſcrup. j.
Opii purific. gr. x.
Aquæ fontan. lib. ſs. m.

---

# L

## LINCTUS TEREBINTH.

R. Ol. Terebinth. unc. ij.
Mellis lib. ſs. m.

*LOTIONES.*

## *LOTIONES.*

### LOTIO AMMON. MURIAT.

R. Ammon. muriat. unc. ſs.
Aceti vini alb. unc. iv.
Aquæ puræ unc. xij. m.

### LOTIO AQUO-ACETATA.

R. Aceti vini alb.
Aquæ puræ aa lib. j. m.

White Wine Vinegar thus diluted with Water, anſwers every Purpoſe of the compound Water of acetated Litharge, without producing any of its bad Effects, as Colic, Palſy and Spaſms, from the abſorption of the Lead.

## *LINIMENTA.*

### LINIMENT. AMMONIÆ.

R. Aquæ Ammon. unc. j.
Ol. Sem. Napi unc. ij. m.

LIN. AMMON. FORT.

R. Aquæ Ammoniæ unc. j.
Ol. Sem. Napi unc. iſs.
——Terebinth. drach. ij. m.

LIN. LINI.

R. Aquæ Calcis
Ol. Lini ãã lib. ſs.

LIN. SAPONIS.

R. Sapon. mollis lib. ſs.
Ol. Terebinth. unc. iſs.
Sp. vinoſi tenuis. lib. iij. m.

LIN. SAPONIS OPIAT.

R. Lin. Saponis lib. ij.
Tinct. Opii unc. ij. m.

---

## M

## *MISTURÆ.*

ACID. SULPHUR. DILUT.

R. Acidi ſulphur. unc. iv.
Aquæ puræ lib. j. m.

To be ſubſtituted for the acid Elixir of Vitriol.

MIST.

## MIST. ACETO-ALKALIZAT.

R. Aceti Vini alb. unc. vj.
Kali præpar. drach. iij.
Eſſent. Pulegii gut. xv.
Aquæ puræ lib. j. m.
Cap. Cochl. iv. larg. quater in Die.

## MIST. ACETO-ALKALIZ. CUM QUERCU.

R. Aceti Vini alb. lib. ſs.
Kali præpar. unc. ſs.
Eſſent. Pulegii drach. ſs.
Decoct. Querc. comp. lib. j. m.
Cap. Cochl. iv. larg. quater terve Die.

## MIST. ANTIMON. TART.

R. Miſt. Antim. tart. gr. ij. ſolve
Aquæ puræ unc. vj.
Mucil. G. Arabic. unc. ij.
Syrupi unc. ſs. m.
Cap. Cochl. ij. larg. omni tertia Hora.

Pneumonia, Synocha, Hepatitis, Rheumatiſm.

MIST.

## MIST. ANTIMON. TART. ANOD.

R. Miſt. Antimon. tart. unc. viij.
Ext. Papav. alb. drach. j. m.
Cap. Cochl. ij. larg. omni tertia Hora.

Pneumonia, Phthiſis pulmon. Hepatitis, Synocha, Pertuſſis, Catarrh.

## MIST. ALLII.

R. Aſafœtid. drach. j. ſolve
Aquæ puræ unc. v.
Oxym. ex Allio unc. iij.
Eſſent. Aniſi drach. ſs. m.
Cap. Cochl. ij. larg. ter vel quater in Die.

Aſthma, Pertuſſis, Dyſpnœa.

## MIST. CAMPHORÆ.

R. Camphoræ drach. ij.
Sp. vinos. rectif. gut. L.
Sacch. alb. unc. j.
Muc. G. Arabic. unc. iij.
Aquæ bullientis lib. vj. m. s. a.

The Gum Arabic is here employed as an intermedium of Union between the Camphor and Water. This Mixture is much ſtronger than that of

of the London Pharmacopœia, notwithſtanding only one third of the Camphor is uſed, the whole being ſuſpended by means of the Mucilage.

MIST. CAMPHORÆ COMP.

R. Miſt. Camphoræ unc. v.
Solut. Ammon. acetat. unc. iij.
Cap. Cochl. iij. larg. ter Die.

MIST. CRETÆ.

R. Cretæ præpar. drach. iij.
Pulv. G. Arabic. drach. j.
Aquæ puræ unc. vj.
Eſſ. Caſſiæ lign. gut. xx.
Syrupi unc. ſs. m.

MIST. CRETÆ OPIAT.

R. Miſt. Cretæ unc. vij.
Electt. opiat. drach. ij. m.

MIST. CRETÆ OPIAT. COMP.

R. Miſt. Cretæ opiat. unc. vij.
Tinct. Ipecac. vinos. drach. ij.
—— Catechu unc. ſs. m.
Cap. Cochl. ij. larg. omni tertia Hora.
Diarrhœa, Dyſenteria.

MIST.

MIST. CICUTÆ.

R. Tinct. Cicutæ unc. iij.
Zinci vitriol. ſcrup. j.
Syrup. Papav. alb. unc. ſs.
Aquæ puræ unc. iv.
Eſſent. Carui gut. xx. m.
Cap. Cochl. ij. larg. ter vel quater in Die.

Epilepſia, Chorea, Hyſteria, Aſthma, Pertuſſis, Tetanus.

MIST. CICUTÆ ANTIM.

R. Tinct. Cicutæ unc. iij.
Solut. Antim. tart. vinos. drach. iij.
Syr. Papav. alb. unc. ſs.
Aquæ puræ unc. iv.
Eſſent. Pulegii gut. xx. m.
Cap. Cochl. ij larg. quater in Die.

Pertuſſis, Phthiſis Pulmonalis, Pneumonia.

MIST. DIGITALIS.

R. Tinct. Digitalis drach. ſs.
Mucil. G. Arabic. unc. ij.
Solut. Antim. tart. drach. j.
Syrup. Papav. alb. unc. ſs.
Aquæ puræ unc. v.
Eſſent. Aniſi gut. xxx. m.
Cap. Cochl. ij. larg. ter vel quater in Die.

## MIST. DIGITALIS COMP.

R. Tinct. Digitalis drach. ſs.
—— Scillæ acet. unc. j.
Mucil. G. Arabic. unc. ij.
Syr. Papav. alb. unc. vj.
Aquæ puræ unc. v.
Eſſent. Aniſi drach. ſs. m.

## MIST. FŒTIDA.

R. G. Aſafœtida. drach. j. ſolve
Aquæ fontan. unc. vj.
—— Ammoniæ unc. ſs.
Eſſent. Pulegii gut. xxx. m.

## MIST. FŒTID. COMP.

R. G. Aſafœtid. drach. j. ſolve
Aquæ fontan. unc. vj.
Oxym. Scillæ unc. j.
Eſſent. Aniſi gut. L. m.
Cap. Cochl. ij larg. quater Die.

Aſthma, Pertuſſis, Dyſpnœa.

## MIST. FŒTID. COMP. ANOD.

R. Miſt. fœtid. comp. unc. viij.
Ext. Papav. alb. drach. j. m.
Cap. Cochl. larg. quater Die.

MIST.

## MIST. GUIAC.

R. G. Guiac. pulv. drach. ij.
Mucil. G. Arabic. unc. j.
Aquæ fontan. unc. vj.
Syrupi unc. ſs.
Eſſent. Pulegii gut. xx.
Aquæ Ammon. unc. ſs. m.

## MIST. GUAIAC. CAMPHORAT.

R. Gum. Guaiac. pulv. drach. ij.
Mucil. G. Arabic. unc. j.
Miſt. Camphoræ unc. vj. m.

## MIST. JUNIPERI COMP.

R. Bac. Juniperi contus. unc. ij.
Sem. Fœnicul. dulc. cont. unc. ſs.
Infunde Aquæ bullient. unc. xij. cola et
Adde Oxym. Scillæ unc. j.
Sp. Juniperi comp. unc. ij.
Cap. Cyath. vinos. quater in Die.

## MIST. NATR. VITRIOL.

R. Rad. Zingil. alb. contus. unc. ſs.
Infundæ Aquæ bullient. lib. iij. cola et
Adde Natr. vitriol. unc. vj.
Syr. e Spina cervin. unc. iv.
Cap. Cyath. vinos. pro re nata.

MIST.

## MIST. QUERCUS.

R. Decoct. Quercus unc. xij.
Aluminis drach. ij.
Elect. opiat. unc. ſs. m.
Cap. Cochl. ij. larg. ter Die.

## MIST. QUERCUS COMP.

R. Decoct. Quercus comp. unc. vij.
Tinct. Cort. aurant. unc. j. m.

## MIST. QUERCUS COMP. BALS.

R. Decoct. Quercus comp. unc. vj.
Bals. Copaiv. drach. ij.
Mucil. G. Arabic. unc. j.
Tinct. Cort. aurant. unc. j. m.
Cap. Cochl. iij larg. ter in Die.

Leucorrhœa, Blennorrhœa, Diabetes.

## MIST. QUERCUS COMP. GUAIAC.

R. Decoct. Querc. comp. unc. vj.
G. Guaiac. pulv. drach. ij.
Mucil. G. Arabic. unc. j.
Aquæ Ammoniæ drach. iij. m.

MIST.

MIST. QUERC. COMP. NATR.

R. Decoct. Querc. comp. unc. vj.
Natr. præpar. drach. iij.
Effent. Carui drach. ſs. m.

MIST. QUERC. COMP. SULPHUR.

R. Decoct. Querc. comp. lib. j.
Acid. ſulphur. dilut. drach. ij.
Effent. Carui gut. XL. m.

MIST. QUERC. COMP. VOLAT.

R. Decoct. Querc. comp. unc. vij.
Aquæ Ammoniæ drach. iij. m.

## O

## *OXYMEL.*

R. Aceti Vini alb. lib. vij.
Mellis lib. x. m.

OXYM. ÆRUGINIS.

R. Ærug. Æris unc. ij.
Acet. Vini alb. lib. j.
Mellis unc. xx. m.

OXYM. ex ALLIO.

R. Rad. Allii incis. unc. iij.
Sem. Anisi cont. unc. ss.
Mellis unc. xx.
Aceti Vini albi lib. j. m.

OXYM. ex ALLIO COMP.

R. Rad. Allii contus. unc. iij.
—— Enulæ camp. cont. unc. j.
—— Irid. flor. cont. unc. ss.
Sem. Anisi cont. unc. ss.
Acet. vini albi lib. j.
Mellis unc. xx.

OXYM. SCILLÆ.

R. Tinct. Scillæ acet. lib. ij.
Mellis lib. iij. m.

## P

## *PILULÆ.*

PILUL. ex ALLIO.

R. Rad. Allii
Saponis Cast. aa unc. vj.
Pulv. Zingib. alb. unc. ss.
—— Glycyr. q. s. form. Mass.
Cap. scrup. j. bis Die.

PILUL.

## PILUL. ex ALLIO COMP.

R. Aſafœtid. unc. j.
Rad. Allii unc. iij.
Saponis Caſt. unc. ij.
Pulv. Zinzib. unc. ſs. m.
Cap. gr. xv. ter Die.

## PILUL. ex ALOE AROMAT.

R. Aloes Hepat. unc. iij.
G. Guaiac. unc. ij.
Ol. Carui drach. j.
Syr. e Spin. Cerv. q. s.

## PILUL. COLOCYNTH. COMP.

R Aloes Hepat. unc. iij.
Pulv. Colocynth. unc. ij.
G. Gambog. unc. ſs.
Ol. Carui drach. iſs.
Syrup. e Spin. Cerv. q. s.

## PILUL. CERUSSÆ ACET.

R. Ceruſſæ acetat. ſcrup. j.
Ext. Papav. alb. drach. iſs. m. et Pilul. xxiv. divid. cap. j. ter Die.

## PILUL. CUPRI AMMON.

R. Cupri Ammon. ſcrup j.
Ext. Papav. alb. drach. j. m. et Pil. xxx.
Cap. j. vel ij. bis ter Die.

## PILUL. FŒTID.

R. G. Aſafœtid. unc. iv.
Ol. Cornu Cerv. drach. ſs.
Syr. ſimpl. q. s.

## PILUL. FŒTID. COMP.

R. G. Aſafœtid.
— Galban.
— Myrrhæ
— Sagapen. āā unc. ij.
Ol. Succini drach. ij.
Syrup. q. s.

## PILUL. GENTIAN. ALOET.

R. Ext. Gentian. unc. iij.
Ferri vitriol. drach. vj.
G. Myrrhæ indic. unc. ij.
Aloes Hepat. unc. j.
Kali præpar. unc. ſs.
Ol. Carui drach. iſs.
Syrup q. s.

## PILUL. HYDRARGYRI.

R. Hydrarg. unc. vj.
Mellis lib. ſs.
Farinæ tritic. q. s. form. Mas. et Pilul. 1440 divid. Cap. ij. bis Die.

Each Pill will contain two Grains of Mercury, which will vary in Strength according to the degree of Triture it has been ſubjected to.

## PILUL. HYDRARG. CAMPH.

R. Hydrarg. unc. ſs.
Pulv. Rhei Indic. unc. iſs.
Camphoræ unc. j.
Mellis q. s. In Pilul. 480 divid. Cap. iij. ter Die.—Blennorrhagia.

## PILUL. HYDRARG. OPIAT.

R. Hydrarg. unc. ij.
Mellis unc. iij.
Opii unc. ſs. m. s. a. et Pilul. 480 divid.

Each Pill will contain two Grains of Mercury, and half a Grain of Opium.

Dr. Cullen, Mr. Hunter, and Mr. Bell, aſſert that Opium is a great auxiliary to Mercury, in the Cure of Syphilis, probably by reſtraining its purgative Tendency.

PIL. HYDRARG. TEREBINTH.

R. Hydrarg. unc. j.
Terebinth. venet. unc. ij.
Pulv. Reſinæ flav. q. s.

PILUL. NATR. PRÆPAR.

R. Natr. præpar. unc. ſs.
Sapon. Caſtil. drach. vj.
Ol. Juniperi q. s.
Cap. ſcrup. j. bis Die.

When the Alkaline mephitic Water diſagrees with the Patient, by producing Dizzineſs and Flatulency, this Formula is recommended as a good Subſtitute.

PILUL. OPII.

R. Opii unc. ſs.
Pulv. Rhei Indic. unc. iij.
Syrup. q. s.
Cap. gr. x. pro re nata.

PILUL.

## PILUL. QUERCUS COMP.

R. Ext. Quercus drach. ij.
Pulv. G. Olibani drach. j.
Syr. Zinzib. q. s.
Cap. gr. xv. bis vel ter Die.

Blennorrhœa, Leucorrhœa, Diabetes.

## PILUL. SCILLÆ.

R. Rad. Scillæ recent. unc. iij.
G. Ammon. unc. ifs.
Pulv. Zinzib. alb. unc. j.
Saponis Caft. unc. ij.

## PILUL. SCILLÆ ANOD.

R. Pilul. Scillæ drach. ij.
Ext. Papav. alb. drach. fs. m.
Cap. gr. xv. ter Die.

## PILUL. SCILLÆ CUM GAMBOG.

R. Pil. Scillæ drach. ij.
G. Gambog. drach. fs. m.
Cap. gr. x. bis Die.
Hydrothorax, Afcites, Anafarca.

PILUL. ZINC. VITRIOL.

R. Zinci vitr. ſcrup. j.
Pulv. Rhei Ind. drach. ſs.
Ext. Gentian. drach j. m.
Cap. gr. x. bis ter Die.

Hyſteria, Epilepſia, Leucorrhœa, et Blennorrhœa.

## *PULVERES.*

PULV. ALUMINIS COMP.

R. Aluminis unc. j.
Extr. Quercus ſiccat. unc. iij.
Pulv. Caſſiæ ligneæ unc. j. m.
Cap. gr. xv. bis vel ter Die.

PULV. AROMATICUS.

R. Caſſiæ ligneæ unc. ij.
Gran. parad. unc. ſs.
Rad. Zinzib.
Canellæ albæ aa unc. j. m.

## PULV. ASARI.

R. Fol. Aſari unc. ij.
Rad. Helleb. alb. drach. ij. m.

## PULV. ASARI COMP.

R. Pulv. Aſari unc. j.
Hydrarg. vitriol. drach. j. m.

## PULV. JALAPII COMP.

R. Pulv. Jalapii drach. vj.
—— Gum. Gambog. ſcrup. ij.
—— Zinzib. alb.
Calomel. præpar. āā drach. iſs. m.
Cap. ſcrup. j. pro re nata.

## PULV. NITROSUS.

R. Salis Nitri unc. j.
G. Arabic.
Sacchar. alb. āā unc. iv. m.

## PULV. NITROSUS CAMPH.

R. Pulv. Nitros. unc. iv.
G. Camphoræ drach. iſs. m.
Cap. drach. ſs. ad drach. j. ter Die.

## PULV. SABINÆ.

R. Fol. Sabinæ ſic. unc. j.
Ærug. Æris unc. ſs. m.

## PULV. QUERCUS COMP.

R. Cort. Quercus lib. j.
—— Salicis frag. lib. ij. m.

## PULV. TANACETI COMP.

R. Fol. Tanaceti
Sem. Santonic. āā unc. iſs.
Ferri vitriol. unc. ſs. m.
Cap. drach. ſs. pro re nata.

This Powder is a powerful anthelmintic.

## PULV. VITRI COMP.

R. Vitri levigati unc. j.
Aluminis ust. drach. ſs. m.

*SOLU-*

# S

## *SOLUTIONES.*

### SOLUT. AMMONIÆ ACETAT.

R. Ammoniæ præpar. unc. iv.
Aceti Vini alb. q. s.

The medicinal Virtues of the acetic Acid are much impaired by Diſtillation, and frequently impregnated with Verdigris, from the Uſe of Copper Veſſels, hence pure white Wine Vinegar is entitled to the Preference.

### SOLUT. ARSENICI.

R. Arſenic. alb. pulv.
Kali præpar. aā drach. j.
Aquæ puræ lib. j. m. s. a.
Cap. gut. xij. bis vel ter Die.

In intermittent and remittent Fevers, carcinomatous, phagedænic, and ſtrumous Ulcers.

### SOLUT. ANTIM. TART. VINOS.

R. Antim. tart. drach. j.
Vin. Uvæ paſſæ lib. j. m.

SOLUT. CRYSTALL. TARTARI.

R. Cryſt. tartar. unc. ſs. ſolve
Aquæ puræ unc. x.
Sp. Juniperi drach. iij. bis Die ſummend.

This Solution has not anſwered ſo well in hydropic Caſes, as Purgatives of the more Draſtic Kind.

SOLUT. CUPRI VITRIOL.

R. Cupri vitriol. drach. j.
Aquæ fontan. lib. j.
Sp. Cinnam. lib. ſs. m.
Cap. Cochl. j. larg. ter Die.

Menorrhagia, Leucorrhœa.

SOLUT. FERRI VITR. VINOS.

R. Ferri vitriolat. unc. ſs.
Vini Uvæ paſſæ lib. ij. m.

SOLUT. HYDRARG. MURIAT.

R. Hydrarg. muriati. gr. xxiv.
Acid. muriat. drach. j.
Aquæ puræ unc. ijſs.
Tinct. Lavendul. comp. unc. ſs. m.
Cap. gut. xxx. bis Die ex Cyatho
Decoct. Ulmi comp.

SOLUT.

## SOLUT. HYDRARG. NITRAT.

R. Hydrarg. purif. unc. j.
Acid. nitros. unc. iij. m. s. a.

To be applied by means of an armed Probe, to finous and fungous Ulcers.

## SOLUT. NATR. CARBONICATA.

R. Natr. præpar. unc. iij.
Aquæ fontan. lib. vj. ſolve et ſaturetur Solutio acido carbonico.

## SYRUPUS.

R. Sacchari albi lib. ij.
——— fuſci lib. iv.
Aquæ puræ lib. v. coque ſimul ad lib. x.

## SYR. CORT. AURANT.

R. Cort. aurant. contus. unc. vj. infunde
Aquæ bullient. lib. iv. per Horas duodecem, dein cola et adde
Sacchari albi
——— fuſci aa lib. iij.

## SYR. PAPAV. ALB.

R. Ext. Papav. alb. drach. x. ſolve
Syrup. lib. j.

The Extract of the white Poppy, to procure a ſoporific Effect, ſhould be given from fifteen Grains to a Scruple. It does not like Opium, check Expectoration, or conſtipate the Bowels, which render it a preferable Anodyne in pulmonic Affections.

## SYR. SPINÆ CERV.

R. Suc. Spinæ Cervin. depurat. lib. xij.
Rad. Zinzib. cont. unc. ij.
Theriac. com. lib. xij.

## SYR. ZINZIBERIS.

R. Rad. Zinzib. cont. unc. iv. coque
Aquæ puræ lib. v. ad lib. iv. dein cola et adde
Sacch. alb. lib. iv.
—— fuſci lib. iij.

*TINC-*

# T

## *TINCTURÆ.*

### TINCT. AROMATICA.

R. Caſſiæ lign. unc. iij.
Gran. parad. unc. j.
Rad. Zinzib. drach. vj.
Sp. vinos. tenuis lib. vj.

### TINCT. ASAFŒTIDA.

R. Aſafœtid. unc. iv.
Sp. vinos. rectif.
——— tenuis. aa lib. j.

### TINCT. CANTHARID.

R. Cantharid. cont. unc. ſs.
Rad. Anchuſiæ drach. ij.
Sp. vinos. ten. lib. iij.

### TINCT. CATECHU.

R. Catechu unc. iij.
Caſſiæ lign. unc. ij.
Sp. vinos. ten. lib. ij. m.

## TINCT. CICUTÆ.

R. Suc. Cicutæ recent. lib. x.
Sp. vinos. rectif. lib. ij. m.
Cap. drach. ij. ad unc. ſs. bis Die.

The ſubtile volatile Matter, in which the active Properties of the Hemlock reſide, is diſſipated by the Heat it is neceſſarily expoſed to for making the Extract, inſpiſſating the Juice, or even exſiccating the Herb, which may account for the great Diverſity of Opinions maintained by profeſſional Gentlemen on the Efficacy of this potent Herb. The expreſſed Juice, by the Addition of rectified Spirit, will keep good in a cool Situation from Seaſon to Seaſon. Thus adminiſtered, it has been ſerviceable in Scrophula, Mania, Epilepſia, Pertuſſis, Phthiſis Pulmonalis Scrophuloſa; and if it does not ſucceed in diſperſing Schirrus, it will certainly procraſtinate Ulceration.——The Herb ſhould be gathered from a humid Soil when beginning to blow.

## TINCT. CORT. AURANT.

R. Cort. Aurant. unc. iij.
Sp. vinos. ten. lib. ij.

TINCT.

## TINCT. DIGITALIS.

R. Fol. Digitalis ficcat. unc. j.
Sp. vinos. ten. lib. j.
Cap. drach. ſs. ad drach. j.

Small Doſes of the Fox Glove have a wonderful Effect in retarding the Velocity of the Circulation, hence it becomes a moſt valuable Medicine in phthifical Affections; in Hæmorrhagic, as Hæmoptoe, epiſtaxis, Menorrhagia; in inflammatory, particularly Pneumonic, Phrenitis, and other Diſeaſes attended with a morbid Irritation of the vaſcular Syſtem. In hydropic Caſes this Tincture ſhould be given to the Extent of drach. j. before its diuretic and cathartic Properties will appear.

## TINCT. GENTIANÆ.

R. Rad. Gentian. cont. unc. iv.
Cort. aurant. unc. ij.
Gran. Parad. drach. vj.
Aquæ fervent. lib. iij.
Sp. vinos. rectif. lib. j.

## TINCT. IPECACUANHÆ.

R. Rad. Ipecacuanhæ cont. unc. ij.
Vin. Uvæ paſſæ lib. ij.

TINCT.

## TINCT. LAVEND. COMP.

R. Flor. Lavend. unc. vj.
Caſſiæ ligneæ
Pimento aa unc. iſs.
Rad. Anchuſiæ drach. x.
Sp. vinos. ten. lib. vj.

## TINCT. MYRRHÆ.

R. G. Myrrhæ unc. vj.
Sp. vinos. rectif. lib. iij.
Aquæ puræ lib. j.

## TINCT. MYRRHÆ COMP.

R. Gum. Myrrhæ unc. ij.
Aloes hepatic. unc. j.
Sp. vinos. ten. lib. ij.

## TINCT. OPII.

R. Opii purif. unc. v.
Aquæ puræ lib. iij.
Sp. vinos. rectif. lib. j.

## TINCT. OPII CAMPH.

R. Opii purif. drach. ij.
Camphoræ ſcrup. iv.
Ol. Aniſi drach. ij.
Sp. vinos. ten. lib. iv.

TINCT.

## TINCT. QUERCUS.

R. Cort. Quercus unc. iv.
—— Salic. frag. lib. ſs.
Sp. vinos. ten. lib. xij.

## TINCT. QUERC. COMP.

R. Cort. Querc. unc. j.
—— Salic frag. unc. ij.
—— aurant. unc. ij.
Rad. Serpent. V. unc. ſs.
Sp. vinos. ten. lib. iv.

## TINCT. QUERCUS VOLAT.

R. Cort. Querc. unc. j.
—— Salicis frag. unc. ij.
—— Aquæ Ammoniæ lib. ijſs.
Sp. vinos. rectif. lib. ſs. m.

## TINCT. RHEI.

R. Rad. Rhei Ind. unc. ij.
Gran. Parad. drach. ij.
Sp. vinos. ten. lib. ij.

## TINCT. SCILLÆ ACETAT.

R. Rad. Scillæ ſic. lib. j.
Aceti Vini alb. cong. j.

TINCT.

### TINCT. SENNÆ.

R. Fol. Sennæ unc. iv.
Sem. Carui unc. j.
Sp. vinos. ten. lib. ij.

### TINCT. VALERIANÆ VOLAT.

R. Rad. Valerian. unc. iv.
Aquæ Ammoniæ lib. iſs.
Sp. vinos. rect. lib. ſs. m.

---

## U

## *UNGUENTA.*

### UNG. CALAMINARIS.

R. Lap. Calam. præp. lib. iij.
Empl. e Minio lib. ij.
Axung. Porcin. præp. lib. x.

This is a cheap and uſeful Ointment for external Dreſſings.

### UNG. CANTHARID.

R. Pulv. Cantharid. unc. ij.
Ung. Reſinæ flav. lib. j. m.

## UNG. ELEMI.

R. G. Elemi lib. j.
Sevi ovilli præp. lib. ij.
Ol. Sem. Napi lib. j.
Terebinth. vulg. lib. ſs. m.

## UNG. HYDRARG.

R. Hydrarg. purif.
Axung. Porcin. āā lib. iij.

## UNG. HYDRARG. NITRAT.

R. Hydrarg. præp. unc. ij.
Acid. nitros. unc. iv.
Axung. Porcin. præp. lib. ſs.
Ol. Sem. Napi lib. iſs.

## UNG. LITHARG. ACET.

R. Empl. Litharg. lib. ij.
Acet. Vini alb. lib. j.
Ol. Sem. Napi lib. iij.

## UNG. NITROSUM.

R. Acid. nitros. unc. j.
Axung. Porcin. lib. ij.

## UNG. PICIS.

℞. Picis commun.
Adep. ovil. præp. āā lib. iij.

## UNG. RESINÆ FLAVÆ.

℞. Reſinæ flav.
Ceræ flav.
Picis Burgund. āā lib. vj.
Ol. Sem. Napi lib. xv.

## UNG. RESINÆ NIGRÆ.

℞. Ceræ flav.
Reſinæ nigræ
Picis com. aa lib. iij.
Ol. Sem. Napi lib. iij.

## UNG. SABINÆ.

℞. Herb. Sabinæ cont. lib. j.
Axung. Porcin. lib. v.
Axungia liquefacta incoque ſabinam.

## UNG. SULPHURIS.

℞. Sulphur. viv. lib. iij.
Pulv. Helleb. alb. unc. xij.
Ol. Origani unc. ſs.
Axung. Porcin. lib. vij. m.

## UNG. VITRIOLAT.

R. Axung. Porcin. lib. ij.
Acid. vitriol. unc. ij. m.

Tinea Capitis, Lepra, Scabies.

# Index Succedan.


ACET. SCILLÆ, vide Tinct. Scillæ acet.
ARGENT. NITRAT. v. Solut. Hydrarg. nitr.
AQUA AMMON. ACET. v. Sol. Ammon. acetat.
——— HORDEAT. v. Decoct. Hordei.
——— MEPHITIC. ALK. v. Sol. Nat. carb. Pilul. Natr. præp.
——— VEGITO-MINER. v. Lot. Aquo-acet.
AQUÆ SIMPLIC. v. Essentiæ.
CATAPL. EMOLLIENS. v. Catapl. Furfur.
——— SUPPURANS. v. ——— Terebinth.
CERAT. EPULOTIC. v. Ung. Calam.
——— SATURN. v. Ung. Litharg. acet.
CONF. CARDIAC. v. Elect. e Creta arom.
——— DEMOCRAT. v. ——— opiat.
DECOCT. CORT. PERUV. v. Decoct. Querc. c.
——— SARSAPARILLÆ, v. Decoct. Ulmi.
——— Comp. v. Decoct. Ulmi comp.
——— cum MEZEREO. v. Decoct. Ulmi comp.
ELECT. LENITIV. v. Elect. Cryst. Tart.
——— ASTRING. v. ——— Querc.
——— CORT. P. cum. FERRO, v. Elect. Querc. comp.
ELIX. VITRIOL. ACID. v. Acid. sulphuric. dilut.
EMPL. LITHARG. cum GUM. v. Emp. Euphorb.
ENEMA ex AMYLO, v. Enema Avenæ.
EXT. CICUTÆ, v. Tinct. Cicutæ.
——— CORT. P. v. Ext. Querc. comp.
FOTUS ASTRINGENS. v. Fotus Querc.
——— EMOLLIENS. v. ——— Absinthii.

GARGARIS. ASTRING. } v. Garg. Quercus.
—— Balauſt.

——— COMMUN. v. —— Nitri.

INFUSUM DIGITAL. v. Tinct. Digitalis.

——— ROSÆ, v. Inf. Flor. Balauſt.

——— STIMULANS, v. —— Raphani comp.

INJECT. ASTRING. } v. Inject. Argil. vitr.
—— Cupri vitr.
—— Zinci vitr.
—— Querc.
—— Cantharid.

——— STUMUL. v.

LIN. VOLAT. CAMPH. v. Lin. Volat. fort.

LOTIO ANTIPSORIC. v. Decoct. Helleb. alb.

MISTURA ANTISPASMOD. } v. Miſt. Cicutæ C.
—— fœtid. C.

——— ASTHMATIC. v. Miſt. ex Allio fœtid.

——— CATHARTIC. v. —— e Natr. vitr.

——— CORT. PERUV. v. —— Querc. comp.

——— DIAPHORETIC. v. —— Antim. Tart.

——— DIURETIC. v. —— Juniper comp.

——— SALINA, v. —— Aceto-alkaliz.

OXYMEL PECTORAL. v. Oxym. ex Allio comp.

PILUL. AROMAT. v. Pil. Aloes aromat.

——— ECPHRACT. v. Gentian. Aloet.

——— Gummos. v. Fœtid. comp.

PULV. ANTHELMINT. } v. Pulv. Tanaceti comp.
—— Jalapii comp.

——— BASILICUS, v. Pulv. Jalapii comp.

——— CICUTÆ, v. Tinct. Cicutæ.

——— CORT. PERUV. v. Pulv. Querc. comp.

——— DIGITALIS, v. Tinct. Digitalis.

——— FEBRIFUG. (Doct. James's) v. Bolus antimon.

——— E SCAMMONIO cum CALOM. v. Pulv. Jalap. c.

——— STERNUTAR. v. Pulv. Aſari.

——— SUDORIF. } v. Bol. antim. anod.
Miſt. antim. anod.

SPECIES AROMAT. v. Pulv. Aromat.

SPIRIT. MINDERERI, v. Sol. Ammon. acetata.
SUC. CICUTÆ INSPISS. v. Tinct. Cicutæ.
TINCT. CŒRULEA, v. Solut. Cupri vitr.
——— CORT. PERUV. v. Tinct. Quercus.
——— COMP. v. Tinct. Querc. comp.
——— VOLAT. v. ——— volat.
——— CINNAM. COMP. } v. Tinct. aromat.
——— CARDAM. COMP. }
VINUM ANTIMON. v. Sol. ant. tart. vinos.
——— FERRI, v. Sol. Ferri vitr. vinos.
——— IPECAC. v. Tinct. Ipecac.
UNGUENT. ANTIPSORIC. } v. Ung. sulphur. — vitriol.

# Index

## MORBORUM, CURATIONUM, &c.

---

A


ABSCESS, vide Apoſtema.

ALBUGO, vide Leucoma.

AMENORRHŒA.—Cap. Pil. Gentian. aloet. Decoct. Rubiæ Tinct. Miſt. Cort. Querc. cum Tinct. Cantharid. Elect. Querc. comp.
Applic. Electricit.

AMAUROSIS (Atonica).—Cap. Solut. Hydrarg. muriat. Pilul. Hydrarg.
Applic. Emp. Canthar. tempor. et nuchæ. Electricit.—Pulv. Aſari comp. Naribus.

——— (Compreſſionis.)—Cap. Miſt. Natron. vitr. Miſt. Antim. tart.
Applic. Empl. Canthar. nuchæ et tempor. Naribus Pulv. Aſari comp. Temporibus Hirudines vel arteriot.

ANASARCA, v. Hydrops.

ANGINA, v. Cynanche.

ANI PROLAPSUS, v. Exania.

APHTHA.—Applic. Gargar. Salviæ comp. Garg. Balauſt. Garg. acid. mur. Oxym. Ærugin.

——— (Syphilit.)—Applic. Garg. Hydrarg. mur. Garg. acid. nitros.
Cap. Vide Syphilis.

ASCITES.—Vide Hydrops.

ASCARIDES.—Pulv. Tanaceti comp. Pulv. Jalapii comp. Inf. Spigeliæ. Inf. Gent. comp. Enema fœtid.

ASTHMA.—Miſt. ex Allio fœtid. Miſt. fœtid. comp. Miſt. fœtid. comp. anod. Pil. ex Allio. Pil. Scillæ anod. Miſt. Cicutæ. Hauſt. Zinci vitriol. Tinct. Digitalis. Hauſt. antim. tart. ſcillit. Oxym. ex Allio comp.

APOSTEMA.—Applic.—Fot. Abſinth. Catapl. Terebinth. Empl. Euphorb. Lin. Ammon. fort. Calx cum Kali puro.
Cap. Miſt. Quercus comp. vitr. Pil. Opiat.

B

BLENNORRHAGIA.—Cap.—Pulv. Nitros. comp. Pilul. Hydrarg. camphor. Emuls. Amygd. gummos. Emuls. Camphoræ. Miſt. Natron. vitr. Elect. Cryſt. tart. Pulv. nitros. camph.
Applic.—Inject. Zinci vitr. Inject. Zinzi vitr. anod. Inject. Calomel. Inject. Hydrarg. muriat.

BLENNORRHŒA.—Cap.—Miſt. Querc. c. Balſam. Pil. Querc. comp. Elect. Querc. balſam. Ol. Terebinth. Tinct. Cantharid.
Applic.—Inject. Cupri vitr. Inject. arg. Vitriol. Inject. Querc.

BRONCHOCELE.—Cap.—Tinct. Cicutæ. Natron. præpar.
Applic.—Lotio Ammon. mur. Empl. Ammon. cum Cicuta. Catapl. Cicutæ. Electricit. Ligatura ad arter. thyroid. ſuper.

BUBO.—Inunct. Ung. Hydrarg. fort. Catap. Aceti. Empl. Cicutæ cum Hydrarg. Miſt. Natron. vitr. vide Syphilis.

C

CALCULI (Renal.)—Pilul. Natron. præpar. Solut. Natr. carbon. Miſt. Junip. comp. Aq. Kali puri Decoct. Althææ.

CARDIALGIA.—Miſt. Cort. Querc. volat. Infus. Gentian. cum Kali præpar.—Vide Dyſpepſia.

CARDITIS.—Cap.—Bol. Antim. anod. Miſt. Natron. vitr. Tinct. Digitalis. Miſt. Aceto-alkali. Hauſt. Salin. efferv.
Applic.—Empl. Cantharid. Sterno Venæſectio.

CATARRHUS.—Cap.—Miſt. Antim. tart. Miſt. Antim. tart. anod. Miſt. Natron. vitr. Miſt. Camphoræ comp. Sol. Ammon. acetat.

CHANCRE.—Applic.—Ung. Hydrarg. nitrat. Ung. Hydrarg. fort. Aq. Calcis cum Hydrarg. muriat. Sol. Hydrarg. nitr.
Cap.—Vide Syphilis.

CARCINOMA.—Cap.—Tinct. Cicutæ. Solut. Arſenic.
Applic.—Cataplaſm. Cicutæ. Pulv. Arſenic. c. Catapl. carbonic.

CHLOROSIS.—Vide Amenorrhœa.

CHOLERA MORBUS.—Elect. opiat. Hauſt. Salin. efferv. cum Tinct. Opii. Enema opiatum.

CHORDEE.—Cap.—Pilul. Opii camphor.—Vide Blennorrhagia.

COLIC. (Spaſmodic.)—Cap.—Miſt. Natr. vitr. cum Olio Ricini. Pulv. Jalapii comp. Pilul. opiat. Miſt. Camphoræ. Miſt. fœtid. anod. Enema opiat. Enema Terebinth.
Applic.—(Abdom.)—Fot. Abſinth. Lin. Ammon. fort. Empl. Cantharid.

COMBUSTURA.— Applic.—Liniment. Lini. Solut. Opii. Aq. fugid. Nix. Glacies.
Cap.—Miſt. Natron. vitr. Bol. Antim. anod. Pil. opiat. Miſt. Aceto-alkaliz.

CONVULSIO.—Cap.—Hauſt. Zinci. vitr. Miſt. Cicutæ. Miſt. fœtid. Elect. e Stanno. Pulv. Jalap. c.

CONDYLOMA.—Applic.—Solut. Hydrarg. nitr. Cerat. Sabinæ.——Ligatura.
Cap.—Elect. Cryſt. tart.

CONTUSIO.—Appl.—Lotio Aquo-acetat. Catapl. Aceti. Liniment. Saponis. Sol. Ammon. acetat. Hirudin.
Cap.—Miſt. Natron. vitr. Bol. Antimon. Anodyn. Miſt. Aceto-alkal. cum Tinct. Opii. Tinct. Digitalis.

CORYZA.—Vide Catarrhus.

CHOREA.—Cap.—Hauſt. Zinchi vitriol. Miſt. Cicutæ. Pilul. e Cupro anod. Miſt. Cort. Querc. volat. Miſt. fœtid. Elect. e Stanno pulv. Elect. e Stanno gran. Pil. Hydrarg. opiat.
Applic.—Electricit. Aq. frigid.

CYNANCHE.—Cap.—Bol. Antimon. anod. Solut. antim. tart. vinos. Miſt. Natr. vitr. Miſt. Camphoræ comp. Miſt. Aceto-alkaliz. Tinct. Digitalis. Ammon. acetat.
Applic. part. affect.—Lin. Ammon. fort. Empl. Cantharid. Catapl. aceti. Gargar. Balauſtin. Garg. nitros.

——— MALIGNA.—Cap.—Hauſt. Querc. effervef. Miſt. Camphoræ cum Pulv. Querc. comp. Miſt. Camphoræ comp. Hauſt. Aceto-alkaliz. effervef. Miſt. Querc. comp. vitr. Pil. Opiat. Vin. rubr.
Applic.—Gargar. acid. muriat. Garg. Balauſt. Lin. Volat. fort.

CYSTIRRHŒA.—Cap.—Decoct. Uvæ urſi.—Pil. opiat. Miſt. Camphoræ cum Pulv. Querc. comp. Pilul. Natr. præp. Miſt. Querc. comp. Balſam. Decoct. Althææ. Decoct. Hordei.
Applic.—Inject. Amyli opiat.

D

DIABETES.—Cap.—Miſt. Querc. comp. Balſam. Miſt. Querc. comp. Pil. Querc. comp. Pulv. Querc. comp. Inf. Raphani comp. Tinct. Cantharid.
Applic.—Aq. frigid.

DIARRHŒA.—Pulv. Ipecac. Miſt. Cretæ. Miſt. Cretæ opiat. Miſt. Cretæ opiat. comp. Elect. e Creta. aromat. Elect. opiat. Pulv. Aluminis comp. Enema opiat. Enema Querc. Miſt. Querc. Tinct. Catechu.

DYSENTERIA.—Tinct. Ipecac. Miſt. Cretæ anod. Miſt. Cretæ anod. comp. Solut. antim. tart. vinos. Elect. e Creta aromatic. Enema opiat.

DYSPEPSIA.—Hauſt. Zinci vitriol. Miſt. Querc. volat. Miſt. Querc. comp. Miſt. Querc. comp. vitr. Inf. Gentian. comp. Elect. Querc. comp. Pilul. Gentian. comp. Miſt. Querc. comp. cum Natron.

DYSURIA.—Emuls. Amygd. Emuls. Amydg. gummos. Emuls. Camphoræ. Miſt. Natr. vitr. Pil. opiat. Decoct. Uvæ Urſi. Pulv. Nitros. Venæſectio. Inject. Zinci vitr. anod.

E

ECCHYMOSIS.—Applic.—Lotio Aquo-acet. Catapl. Aceti. Lin. Saponis. Hirudines. Electricit.
Cap.—Miſt. Natr. vitriol. Miſt. Aceto-alkaliz. Miſt. Camphor. comp. Sol. Ammon. acetat.

ENURESIS.—Cap.—Mift. Querc. Mift. Querc. comp. cum Tinct. Canthar. Mift. Querc. comp. Balfam. Sp. Terebinth. Electricit. Querc. comp.
Applic.—Empl. Cantharid. Sacro et Peritones. Inject. Querc. et Peffus Vaginæ. Electricit. Aqua frigid.

EPHRIDOSIS (Hectic.)—Cap.—Decoct. Cort. Querc. comp. Vitriol. Solut. Arfenic.
Applic. Corpori.—Decoct. Querc. frigid.

EPILEPSIA.—Mift. Cicutæ. Pilul. e Cupro ammon. Pilul. Zinci vitr. Elect. e Stanno. Pulv. Querc. comp. Mift. camphorat. Pulv. Tanaceti comp.

EPISTAXIS.—Cap.—Tinct. Digitalis. Mift. Natron. vitriol. Pulv. nitros.
Applic.—Inject. Argil. vitriol. Inject. Cupr. vitr. cum. Linteo. Venæfectio.

ERYSIPILAS.—Cap.—Hauft. Antim. tart. Bol. Antim. Mift. Natron. vitriol. Mift. Aceto-alkaliz. Sol. Ammon. acet. Mift. Camp. comp. Acid. Sulph. dilut. Applic.—Farinæ aven.

EXANIA.—Applic.—Inject. Aluminis. Inject. Querc. Aqua frigid. Electricit.
Cap.—Mift. Querc. comp. Elect. Querc. comp.

EXFOLIATIO (Promot.)—Applic.—Acet. Vini alb. Ol. Terebinth. Catapl. Terebinth. Fot. Abfinthii.
Cap.—Mift. Querc. comp. volat. Elect. Querc. comp.

F

FLUOR ALBUS, vide Leucorrhœa.

FRACTURÆ.—Applic.—Catapl. Aceti. Catapl. Furfuris. Lotio Aqua-acetata. Empl. Saponis.
Cap.—Mift. Natron. vitr. Mift. Aceto-alkaliz. Pil. opiat. Sol. Ammon. acetat.

FUNGI.—Applic.—Solut. Hydrarg. nitrat. Cuprum vitriol. Alum. calc.

FISTULA.—Applic.—Inject. Cantharid. Solut. Hydrarg. nitr. Inject. Cupri. vitr.

G

GASTRODINIA.—Vide Dyſpepſia.

GONORRHŒA VIRULENT.—Vide Blennorrhagia.

GUTTA SERENA.—Vide Amauroſis.

H

HÆMOPTYSIS (Plethoric.)—Cap.—Miſt. Natron. vitriol. Bol. Antim. anod. Tinct. Digitalis.

Applic.—Empl. Canthar. ſterno. Aq. frigid. Venæſectio.

———— (Pthiſica.)—Cap. Tinct. Digital. Pilul. Ceruſſæ acet.

HÆMATURIA.—Cap.—Miſt. Ol. Riccini. Bol. Antim. anod. Emuls. Amygd. gummos. Decoct. Alth. Decoct. Hordei. Miſt. Querc. Bals. Venæſectio.

HEMIPLEGIA.—Vide Paralyſis.

HERNIA HUMERALIS.—Cap. Pulv. Jalapii comp. Miſt. Natr. vitr. Solut. Antim. tart. Hauſt. Antim. tartar.

Applic.—Lotio Aquo-acetat. Catapl. Aceti. Hirudinis. Venæſectio.

HÆMORRHOIS.—Cap.—Elect. Sulphur. Elect. Cryſt tart. Applic.—Fot. Querc. Ung. Hydrarg.

HEPATITIS (Acut.)—Cap.—Pulv. Jalapii comp. Bolus Antim. Anod.—Miſt. tart. Antim. Miſt. Camphor. Tinct. Digitalis.
Applic.—Lateri dextro empl. Cantharid. Venæſectio.

———— (Chronic.)—Cap.—Pilul. Hydrarg. cum Tinct. Cicutæ. Miſt. Nitros.

HYDARTHRUS.—Appl.—Empl. Ammon. cum Cicuta. Empl. Cantharid. Ung. Sabinæ. Calx cum Kali puro. Electricit. Ung. Hydrarg. fort.
Cap.—Tinct. Cicutæ cum Decoct. Quercus comp. Decoct. Tuſſilag. Pilul. Hydrarg.

HYDROCELE.—Electricit. Inject. Cupri vitr. poſt operat. paracent. Calx cum Kali puro.

HYDROPS.—Tinct. Digitalis. Pil. Scillæ cum Gamb. Pulv. Jalapii comp. Miſt. Juniper. Bol. Scillæ. Bol. Digitalis. Inf. Digitalis. Hauſt. Antim. tart. ſcillit. Miſt. Cort. Querc. comp. Inf. Gent. Sol. Cryſt. tart.
Appl.—Electricit. Empl. Cantharid. Scarrificat. Lin. Volat. fort. Paracenteſis. Faſcia lanulæ.

HYPOSTAPHILE.—Gargar. Querc. comp. Garg. Alumin. Garg. Balauſt. Electricit. Inf. Raphani comp.

HYSTEROPTOSIS.—Appl.—Peſſus. Injectio. Querc. comp. Inject. Aluminis. Aq. frig. Electric.
Cap.—Miſt. Querc. comp. cum Tinct. Canth. Miſt. Querc. comp. Bals

HYSTERIA.—Hauſt. Zinci vitr. Miſt. Fœtid. Miſt. Querc. volat. Miſt. Cicutæ. Pil. fœtid. Elect. Querc. comp. Sol. Ferri vitr. vinos.

## I

ICTERUS.—Pulv. Jalapii comp. Pil. Colocyn. comp. Sol. tart. Antim. vinos. Bol. Antim. tart. Extr. Papav. alb. Æther.

INDIGESTIO.—Vide Dyſpepſia.

INCONTINENTIA URINÆ.—Vide Enureſis.

ISCHURIA.—Emuls. Amygd. gummos. Emuls. Camphoræ. Pulv. Jalapii comp. Enema Terebinth. Fot. Abſinthii. Catheter.

## L

LEPRA.—Cap.—Solut. tart. Antim. vinos. cum Solut. Hydrarg. muriat. ex Cyatho. Decoct. Ulmi comp. Miſt. Querc. comp. ſulph. Acid. ſulphur. dilut. Pil. Hydrarg.

App.—Decoct. Helleb. alb. Ung. nitros. Ung. vitriol. Ung. Picis. Ung. Hydrarg. Lotio Hydrarg. Lotio Hydrarg. mur. Ung. Hydrarg. nitr.

LEUCOMA.—Collyr. Cupri vitr. Collyr. Hydrarg. muriat. Pulv. Vitr. comp.

LEUCORRHŒA.—Cap.—Miſt. Querc. comp. Balſam. Elect. Querc. comp. Bals. Tinct. Cantharid. cum Miſt. Querc. comp. Pil. Querc. comp.

Applic.—Inject. Quercus. Inject. Arg. vitr. Aq. frigid.

LUMBAGO.—Cap.—Miſt. Guaiac. camph. Bol. Antim. tart. Miſt. Camphoræ. Solut. Antim. tart. vinos. Extr. Papav. alb.

Applic.—Lin. Ammon. fort. Empl. Cantharid. Electricit.

M

MENORRHAGIA.—Cap.—Inf. Balauſt. Miſt. Querc. vitr. Tinct. Digitalis. Solut. Cupri. vitr. Pulv. Argil. vitr. comp.
Applic.—Acet. Vini alb. Aq. frigid. Inject. Querc. Enema Querc.

N

NEPHRITIS.—Cap.—Miſt. Ol. Ricini. Bol. Antim. Miſt. Antim. tartar. Decoct. Althææ. Emuls. Amygd. gummos. Decoct. Hordei.
Applic. Lin. volat. fort. Calx cum Kali puro.

NODUS.—Applic.—Ung. Hydr. fort.
Cap.—Vide Syphilis.

O

ODONTALGIA.—Applic.—Solut. Hydrarg. nitr. Acid. vitr. Tinct. Opii. Pil. Opii camph. Tinct. Cantharid. Ol. Origani.

OPISTHOTONOS.—Vide Tetanus.

OPHTHALMIA.—Cap.—Pulv. Jalapii comp. Miſt. Natron. vitr. Miſt. Aceto-alkaliz. Pilul. Hydrarg. Solut. Hydrarg. muriat.
Applic.—Collyr. Ceruſſæ acetat. anod. Collyr. Ceruſſæ acet. camph. Collyr. Cupri vitr. Crem. Litharg. acetat. Tinct. Opii. Empl. Canthar. Nuchæ. Hirudin. Arteriot. tempor. Aura Electricit.

OTORRHŒA.—Inject. Zinci vitr. anod. Empl. Canthar.

P

PALPITATIO.—Tinct. Digitalis. Tinct. Cicutæ. Mist. Cicutæ. Mist. Fœtid.

PARALYSIS.—Cap.—Inf. Raphani comp.

Appl.—Empl. Canthar. Electricit. Lin. Volat. fort. Calx cum Kali puro. Ung. Hydrarg.

PARONYCHIA.—Applic.—Sp. Camphoræ. Lin. Saponis. Catapl. Aceti. Fot Absinth. Hirudin.
Cap.—Pulv. Jalapii. Pil. Opiat.

PERNIO.—Applic.—Lin. Sapon. Lin. Ammon. fort. Catapl. Aceti. Catapl. Papav. a. Nix. Glacies.
Cap.—Pulv. Jalapii comp.

PERICARDITIS.—Vide Pneumonia.

PERIPNEUMONIA.—Vide Pneumonia.

PERITONITIS.—Cap.—Mist. Natron. vitr. Solut. Antim. tart. vinos. Bolus Antimon. Mist. Antim. tart. Tinct. Digitalis.
Applic. Abdom.—Empl. Cantharid. larg. Ung. Sabinæ. Fot. Absinth. Aq. frig.

PERTUSSIS.—Cap.—Mist. Cicutæ. Hauft. Zinci vitr. Mist. Fœtid. comp. anodyn. Oxym. ex Allio comp. Mist. Fœtid. comp. Mist. Digital. anodyn.
Applic.—Empl. Cantharid. Sterno.

PHLEGMONE.—(Dispergere.)—Applic. Lotio Aquo-acet. Ammon. acet. Catapl. Aceti. Aura Electricit.
Cap.—Mist. Natron. vitr. Pulv. Jalapii comp.

————————(Suppurare.)—Vide Apostema.

PHRENITIS.—Cap.—Mist. Natron. vitriol. Bol. Ammon. tart. Tinct. Digitalis. Solut. Antim. tartar.
Applic.—Empl. Canthar. Capit. & Nuchæ. Venesect. Jugul. arteriot. temp. Hirud. temp. Catapl. Sinap. Pedib.

PRIAPISMUS.—Cap.—Pil. Opiat. cum Miſt. Camphoræ.
Applic.—Miſt. Camphoræ.
Vide Blennorrhagia.

PROLAPSUS ANI, vide Exania.

——— UTERI, vide Hyſteroptoſis.

——— UVULÆ, vide Hypoſtaphile.

PSORA.—Applic.—Decoct. Helleb. alb. Ung. vitr. Ung. ſulphur.
Cap.—Elect. ſulphur. Acid. vitr. dilut.

PHTHISIS PULMONALIS.—Cap.—Tinct. Cicutæ. Tinct. Digitalis. Miſt. Fœtid. comp. Miſt. Fœtid. comp. anod. Pil. Scillæ anodyn. Miſt. Antim. tart. anod. Extr. Papav. alb. Extr. Hyoſcyam. Miſt. Digitalis. Miſt. Digital. anodyn.
Applic.—Empl. Epiſp. Sterno.

PLEURITIS, vide Pneumonia.

PNEUMONIA.—Cap.—Miſt. Antim. tart. Miſt. Antim. tart. anodyn. Miſt. Natron. vitr. Miſt. Camph. comp. Tinct. Digitalis. Miſt. Digitalis.
Applic.—Empl. Cantharid. ſterno vel lateri. Venæſectio.

R

RACHITIS.—Cap.—Miſt. Querc. comp. volat. Elect. Querc. comp. Inf. Gentian. Solut. Ferri vitriol. vinos. Phoſp. Calcis.
Applic.—Aq. frigid.

RHEUMATISMUS ACUTUS.—Cap.—Miſt. Natron. vitr. Bol. Antim. Anodyn. Miſt. Camp. comp. Solut. Antim. tart. vinos. Miſt. Aquo-acet.
Applic.—Lin. Ammon.

RHEUMATISMUS CHRONIC.—Cap.—Miſt. Guaiac.vol. Miſt. Guaiac. camph. Bol. Antim. anod. Inf. Raphani comp. Linct. Terebinth. Elect. Sulphuris.
Applic.—Lin. Volat. fort. Nix. Electricit. Empl. Cantharid. Fot. Abſinth. Empl. ex Euphorbio.

S

SARCOCELE.—Cap.—Tinct. Cicutæ cum Pil. Hydrarg.
Applic.—Catapl. Cicutæ. Electricit.

SCABIES, vide Pſora.

SCIATICA.—Cap.—Miſt. Camphoræ comp. Solut. Antim. tart. Bol. Antim. anod. Miſt. Guaiac. camph.
Applic.—Lin. Volat. fort. Empl. Cantharid. Empl. Euphorb. Electricit. Fot. Abſinth.

SCHIRRUS.—Cap.—Tinct. Cicutæ. Pil. Hydrarg.
Applic.—Catapl. Cicutæ. Empl. Ammon. cum Cicuta. Lotio. Ammon. mur.

SCROPHULA.—Cap.—Tinct.Cicutæ cum Miſt. Cort.Querc. comp. Miſt. Querc. comp. Natr. Decoct. Tuſſilag. Decoct. Rub. Tinct. Muriat. Calcis.

SINGULTUS.—Cap.—Miſt. Fœtid. Hauſt. Zinc. vitr. Æther.—Electricit.

SPHACELUS.—Cap.—Hauſt. Querc. efferves. Pulv. Querc. comp. cum Miſt. Camph. Pil. Opiat. Miſt. Querc. comp. volat. cum Tinctura Opii.
Applic.—Catapl. Carbon. Catapl. efferveſc. Ung. Reſin. flav. Ung. Elemi. Fot. Abſinth. Fot. Quercus.

STRUMA.—Applic.—Ung. Hydrarg. nitr. Ung. Nitros. Solut. Hydrarg. nitr.
Cap.—Vide Scrophula.

SUPPRESSIO URINÆ, vide Iſchuria.

SYNCOPE.—Cap.—Miſt. Fœtid. volat.
Applic.—Aq. Frigid. Corpori. Aq. Ammoniæ naribus et temporibus.

SYNOCHA.—Cap.—Hauſt. Antim. tartar. Miſt. Aceto-alkaliz. Hauſt. Aceto-alkaliz. efferv. Miſt. Natr. vitr. Bolus Antimon. Tinct. Digitalis. Miſt. Camphoræ comp. Sol. Ammon. acet. Venæſectio.

SYNOCHUS.—Cap.—Hauſt. Antim. tartar. Miſt. Camph. comp. Hauſt. Querc. efferveſ. Pulv. Querc. comp. cum Miſt. Camph. Solut. Natr. Carbon. Pil. opiat. Vin. rubr.
Applic.—Aq. Frig. Corpori.

SYPHILIS.—Cap.—Pilul. Hydrarg. opiat. Miſt. Nitros. Tinct. Cicutæ. Decoct. Ulmi comp.

T

TENIA.—Cap.—Electr. e Stanno granul. Electr. e Stanno pulv. Pulv. Jalap. comp. Inf. Gentian. Miſt. Querc. volat.

TERES.—Pulv. Jalap. comp. Pulv. Tanaceti comp. Inf. Spigeliæ. Miſt. Querc. volat.

TETANUS.—Cap.—Extr. Opii. Hauſt. Zinci vitr. Miſt. Cicutæ. Pil. Hydrarg. opiat.
Applic.—Aq. calid. Inunct. Ung. Hydrarg.

TINEA CAPITIS.—Applic.—Ung. Picis. Ung. Nitros. Ung. Vitriol. Decoct. Helleb. alb. Ung. Hydrarg. mit. Solut. Zinci vitr.

Cap.—Pulv. Jalap. comp. Solut. Hydrarg. mur. cum Solut. Antim. tart. vinos. ex Hauſt. Decoct Ulmi. Acid. ſulphur. dilut.

TRISMUS, vide Tetanus.

TUSSIS, vide Catarrhus.

TYPHUS.—Cap. Hauſt. Querc. efferv. Miſt. Camphoræ cum Pulv. Querc. comp. Miſt. Querc. comp. vitr. Solut. Natron. carbonic. Pilul. opiat. Vinum rubr.
Applic.—Aq. frigid. cum Aceto.

V

VERRUCCA.—Applic.—Solut. Hydrarg. nitr.

VOMITUS.—Cap.—Inf. Agrimon. Hauſt. Aceto-alkaliz. efferv. Pil. opiat. Elect. opiat.

U

ULCUS.—Applic.—Catapl. Furfur. Catapl. carbon. Catapl. Papav. alb. Ung. Elemi. Ung. Reſinæ flav. Fot. Abſinthii. Ung. nitros. Ung. Hydrarg. nitr.
Cap.—Pil. Hydrarg. opiat. Miſt. Cort. Querc. vitr. Pil. opiat.

——— SINOS.—Solut. Hydrarg. nitr. Inject. Cupri vitr. Inject. Canthar.

——— SCROPHULOS.—Applic.—Ung. Hydrarg. nitr. Ung. nitr. Sol. Hydrarg. nitr. Catapl. Cicutæ.
Cap.—Vide Scrophula.

——— SYPHILITIC.—Applic.—Catapl. Cicutæ. Ung. Hydrarg. nitr. Ung. Hydrarg. fort. cum Ung. Reſinæ flav. Ung. nitros.
Cap.—Vide Syphilis.

——— CARCINOMAT.—Vide Carcinoma.

——— VESICA URINAR.—Vide Cyſtirrhœa.

UTERI SCHIRRUS.—Vide Schirrus.

UTERI PROLAPSUS.—Vide Hyſteroptoſis.

——— HÆMORRHAGIA.—Vide Menorrhagia.

UVULÆ PROLAPSUS.—Vide Hypoſtaphile.

URETHRITIS (Venerea.)—Vide Blennorrhagia.

[W. Bulgin, Printer, Briſtol.]